	Application No.	Applicant(s)
Notice of Allewshility	09/433,389	OGUMA, KOJI
Notice of Allowability	Examiner	Art Unit
<u> </u>	Alecia D. Nelson	2675
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2/22/05</u> .		
2. The allowed claim(s) is/are 2, 7-10 (renumbered claims 1-5).		
3. The drawings filed on 16 October 2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🗌 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0. Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendn 8. ☑ Examiner's Stateme	atent Application (PTO-152) (PTO-413), e nent/Comment ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/433,389 Page 2

Art Unit: 2675

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mike Messina on 3/15/05.

The application has been amended as follows: In claim 2, please see attached page.

Allowable Subject Matter

- 2. Claims 2 and 7-10 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: None of the references used singularly or in combination teach or fairly suggest a passive matrix type LCD device having a controller for controlling the drive voltages applied to the common and segment electrodes, wherein the controlled voltage is varied, and wherein the drive voltages applied sequentially in time division to the common terminals in a manner such that the resulting voltage difference between all the common and segment terminals is zero in order to reduce unclearness in the displayed image. The combination of Endoh (U.S. Patent No. 5,218,352) and Chihara (U.S. Patent No.

Art Unit: 2675

4,196,432) teach the claimed limitation except for varying the controlled number. Also there fails to be motivation to combine the two references to result in the claimed invention being that Chihara teaches the LCD as an active matrix type LCD device. For these reasons the combination of the reference fail to read on the claimed subject matter. No other cited references make up for the deficiencies.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alecia D. Nelson whose telephone number is 571-272-7771. The examiner can normally be reached on Monday-Friday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sumati Lefkowitz can be reached on 571-272-3638. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/433,389 Page 4

Art Unit: 2675

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

adn/ADN March 16, 2005

> AMR A. AWAD DOMARY EXAMINER

Am Amel Amn